



Installation Instructions for *Dust Collection Attachment*

This dust collection system is compatible with the following Dewalt Miter Saw models ONLY:
DWS709 * DW718 * DWS779 * DWS780 * DWS782 * DHS790

NOTE:


If you do not own one of the specified models listed, do not install this dust collection system. This system has been specifically designed and tested only for the models mentioned. Installing it on any other models or making any modifications to the dust collection system will *void any potential refund*.

Please note that returns due to not reading this disclaimer before purchasing will result in the **buyer being responsible for return shipping fees**.

For any questions or refund inquiries, please contact us at Jzwoodshop@outlook.com within 30 calendar days of product arrival.

We truly hope you enjoy these custom made products. Thank you for supporting our small, family-owned business. What started as a hobby has grown into an exciting venture. We also invite you to explore our other woodworking products, including shop organization and more at my [Etsy Shop](#).

Remove Blade Guard




Step 1

1. **Unplug miter saw from electrical power.**

2. You will need to remove the blade guard at the back of the blade by unscrewing the two screws.

3. Keep the screws you remove, as you will use them to mount the dust collection system.



Step 2

With the blade guard removed, use these holes for mounting the dust collection system.

NOTE: If your saw does not look like the one shown in the images, your model is not compatible with this dust collection system. Please stop installation immediately and contact us for further assistance.

Remove Blade Guard Slide



Step 3

Remove the bolt that is securing the blade guard slide. This will allow the blade guard to move out of the way, making it easier to install the dust collection system.



Step 4

This is what the saw should look like with the blade guard removed.

See how the screw has been removed and the blade has been pushed out of the way.

Insert Screws



Step 5

Here are the holes where you insert the screws you removed in Step1



Step 6

Insert the screws.

Here are the screws once inserted

Install the dust collection attachment



Step 7

Install the dust collection by reattaching the screws to the saw from where you removed them in Step 1

Here is an up-close view of the dust collection installed.



Here is a side view of the dust collection installed.

Finish installation



Step 8

Move the Slide Guard back into place.

Reinstall the BOLT that you removed in Step 3



Step 9

Install the included zip ties one of two ways:

If you have the DeWalt model DW779, you may have an extra threaded hole. If so, thread the zip tie through this hole, then around the dust collection and cables.

For DeWalt models DW718, DW780, & DW782, you may not have an additional threaded hole. In this case, zip tie the dust collection directly to the cables.

**Your dust
collection
attachment
is now
installed!**



Installation Complete

Use one of the included hose attachments as needed to ensure a tight fit for your vacuum hose.

Vacuum not included and required for this attachment to perform as described.

Thank you for your purchase and for supporting our small business! We truly appreciate your patronage.

We love bringing creativity to life through 3D printing and woodworking, and we look forward to making more unique, handcrafted products for you to enjoy!

Etsy



Amazon

